

INSHORE FLEET – Q-1350 PERSONNEL CARRIER



ST. 283, 503

PRINCIPAL PARTICULARS

MODEL: LPC 1350
LENGTH OVERALL: 13.6MTRS
BREADTH: 3.2 MTRS
DRAFT MAX: 0.5MTRS
CRUISING SPEED : 24 KNOTTS
FUEL ENDURANCE: 12 HOURS
PASSENGER: 12X PERSONS FACING FORWARD ON PADDED AIR CRAFT TYPE SEATS.
CREW: 3 PERSONS.
PROPULSION: 2X CUMMINS 6CTA'S MARINE DIESEL ENGINES DEVELOPING
255HP @1800 RPM C/W ZF 280A GEARBOXES WITH 1.483:1 RATIO.
CONSTRUCTION MATERIAL: HEAVY DUTY GRP WITH MARINE RESIN

INSHORE FLEET – Q-1350 30X & 50X SEATER PERSONNEL CARRIER



ST. 296

PRINCIPAL PARTICULARS

MODEL : LPC 1350

LENGTH OVERALL : 13.6MTRS

BREADTH : 3.2 MTRS

DRAFT MAX : 0.5MTRS

CRUISING SPEED : 24 KNOTTS

FUEL ENDURANCE : 12 HOURS

PASSENGER : 30X & 50X PERSONS FACING FORWARD ON PADDED AIR CRAFT TYPE SEATS.

CREW : 3 PERSONS.

PROPULSION : 2X CUMMINS 6CTA'S MARINE DIESEL ENGINES DEVELOPING 255HP @1800 RPM

C/W ZF 280A GEARBOXES WITH 1.483:1 RATIO.

CONSTRUCTION MATERIAL: HEAVY DUTY GRP WITH MARINE RESIN.

INSHORE FLEET – Q-1350 RIVER BOAT CLINIC



ST. 269 / RBC 3

PRINCIPAL PARTICULARS

BOAT MODEL: Q-1350

MATERIAL: HEAVY DUTY GRP

LENGTH OVERALL: 13.60 MTRS

BREADTH OVERALL: 3.20 MTRS

DEPTH AT SIDE: 1.10 MTRS

MAX DRAFT: 0.75 MTR

DISPLACEMENT: 8.4 TONS

PROPULSION: 2X CUMMINS 6CTA'S MARINE DIESEL ENGINES DEVELOPING
255HP @1800 RPM C/W ZF 280A GEARBOXES WITH 1.483:1 RATIO.

SPEED: +22 KNOTS

GENERATOR: 1 X 7.5 KVA

AIR CONDITIONING: 2X AIRCONDITIONER